



INOX-mx3 aerosol

# Material Safety Data Sheet

## SECTION 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

<b>Product Name</b>	<b>INOX-mx3</b>
<b>Manufacturers Code</b>	00003 . 100 g Aerosol 00001 . 300 g Aerosol
<b>Recommended Use</b>	Anti-corrosion / anti-moisture - penetrating oil.
<b>Company Name Address</b>	CANDAN INDUSTRIES PTY LTD 65 Chetwynd Street LOGANHOLME Q 4129 AUSTRALIA
<b>Emergency Tel</b>	07 5580 1438 (5 p.m. . 8 a.m.) weekdays. 24 Hours weekends and Public Holidays.
<b>Phone Fax</b>	07 3209 8733 07 3209 8744

## SECTION 2. HAZARDS IDENTIFICATION

<b>Hazard Classification</b>	Not classified as hazardous according to the criteria of Safe Work Australia. Classified as a Dangerous Good according to the Australian Dangerous Goods (ADG) Code.
<b>Risk Phrases</b>	R12 Extremely flammable
<b>Safety Phrases</b>	S2 Keep out of reach of children S9 Keep container in a well ventilated place S16 Keep away from sources of ignition.

## SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	Name	CAS	Proportion %
	Butane	106-97-8	< 30%
	Propane	74-98-6	< 10%
	Ingredients determine not to be hazardous		To 100%

**SECTION 4. FIRST AID MEASURES**

<b>Swallowed</b>	Do not induce vomiting, give 1 to 2 glasses of water to drink. Seek medical attention.
<b>Eye</b>	Irrigate thoroughly with water, if irritation occurs, seek medical advice.
<b>Skin</b>	Wash area with soap and water. Remove contaminated clothes and launder before reuse.
<b>Inhaled</b>	Remove from further exposure. If irritation, dizziness, nausea or unconsciousness occurs, get medical assistance. If breathing is shallow or has stopped, ensure airways are clear and apply resuscitation, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained.
<b>First Aid Facilities</b>	No special facilities required
<b>Aggravated medical conditions caused by exposure.</b>	None known.
<b>Chronic Health Effects</b>	Prolonged or repeated contact with this material may result in skin irritation leading to dermatitis.

**SECTION 5. FIRE FIGHTING MEASURES**

<b>Extinguisher</b>	Foam, Carbon dioxide and dry chemical powder.
<b>Hazards from combustion products</b>	Carbon monoxide (CO)
<b>Special protective precautions and equipment for fire fighters</b>	Self-Contained Breathing Apparatus (SCBA) and full protective clothing should be worn for fires in enclosed areas..
<b>Hazchem code</b>	2YE

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

<b>Emergency procedures</b>	Eliminate all sources of ignition and ventilate area.
<b>Methods and materials for containment and clean up.</b>	Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. If safe to do so, damaged cans should be placed into a container in a well ventilated area (outside) until the gas has discharged. Clean up spills with inert material and dispose of in accordance with current legislation.

**SECTION 7. HANDLING AND STORAGE**

<b>Precautions for safe handling</b>	Use in a well ventilated area. Do not store or use in confined spaces.
<b>Conditions for safe storage including any incompatibilities</b>	Classified as a Flammable gas for storage and handling purposes. Store in a cool, dry, well ventilated area, out of direct sunlight. Avoid sparks, flames and other ignition sources. Store away from incompatible materials such as oxidising materials and flammable liquids

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**National exposure standards for mixture** No value assigned for this specific material by Safe Work Australia

Component	Breathing Zone				Mixture conc. (%)
	TWA ppm	TWA mg/m <sup>3</sup>	STEL ppm	STEL mg/m <sup>3</sup>	
Butane	800	1900	-	-	<30%
Propane	-	-	-	-	< 10%

**Biological Limit Values** No biological limit allocated

**Engineering Controls** Use in well ventilated areas.

**Personal Protective Equipment**

<b>Eyes.</b>	Very mild irritant therefore the use of Safety glasses is recommended.
<b>Hands/Feet</b>	Safety footwear.
<b>Other</b>	Non irritant. Good personal hygiene recommended.
<b>Respirator</b>	No special requirements under ordinary conditions of use and with adequate ventilation.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	Clear light tan liquid
<b>Odour</b>	Minimal odour
<b>pH</b>	Not applicable
<b>Vapour pressure</b>	< 6kPa
<b>Flammability Limits</b>	LEL < 4% UEL . not known
<b>Flashpoint</b>	182°C when propellant gas has dissipated.
<b>Pour Point</b>	- 18°C
<b>Solubility in water</b>	Negligible
<b>Density</b>	0.840

**SECTION 10. STABILITY AND REACTIVITY**

<b>Chemical stability</b>	Stable under normal conditions
<b>Conditions to avoid</b>	Avoid extreme heat.
<b>Incompatible materials</b>	Strong oxidizing agents, Flammable liquids and Corrosive materials.
<b>Hazardous decomposition products</b>	Carbon monoxide (CO)
<b>Hazardous reactions</b>	No hazardous polymerization will occur



INOX-mx3 aerosol

## SECTION 11. TOXICOLOGICAL INFORMATION

**Halogens:** None  
**Carcinogens:** None

**Inhaled:** Inhalation of mists and aerosols may produce respiratory irritation and coughing. Inhalation of high concentrations may lead to respiratory collapse.

**Skin contact:** Non irritant

**Eyes contact:** Mild irritant

**Swallowed:** May cause stomach upset.

## SECTION 12. ECOLOGICAL INFORMATION

No data available for this product.

## SECTION 13. DISPOSAL CONSIDERATIONS

**Disposal methods and containers** Dispose of waste according to federal, EPA and state regulations  
**Special precautions for landfill or incineration** Do Not incinerate or puncture aerosol cans.  
Bury residues and emptied cans at an approved site.

## SECTION 14. TRANSPORT INFORMATION

**UN Number** 1950  
**UN Proper shipping name** Aerosols  
**Class** 2.1  
**Subsidiary risk** None  
**Packing Group** None allocated  
**Special precautions for user** Use in well ventilated work areas.  
**Hazchem Code** 2YE

## SECTION 15. REGULATORY INFORMATION

### Food Grade Approvals

**Australia:** Type A Lubricant . Instrument of Approval is freely available on request.  
**New Zealand:** NZ FSA Approved C12 (All animal product except dairy)  
**N.A.T.O. Defence Manufactures Code No. Z5594/5**  
**KOSHER Certificate** . FKD . HCTN Pareve

**Poison Schedule** Not scheduled

**SECTION 16. OTHER INFORMATION**

**Date of Preparation:** February 2010

**Literature references.**

List of Designated Hazardous Substances.

Hazardous Substance Information System <http://hsis.ascc.gov.au/>

National Code of Practice for the Preparation of Material Safety Data Sheets 2<sup>nd</sup> edition [NOHSC:2001(2003)].

**Abbreviations:**

NOHSC National Occupational Health and Safety Commission

TWA Time weighted average

STEL Short term exposure limit

CAS Number Chemical Abstract Service registry number

TLV Threshold limit value

*Safety data sheets are updated frequently. Please ensure that you have a current copy.*

*The information contained herein is based on data considered accurate and reliable to the best of our knowledge and belief as of the date compiled. However no warranty is expressed or implied regarding the accuracy of these data or the results to be obtained from the use hereof. Candan Industries Pty Ltd assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material, Such users or vendors assume all risks associated with the use of the material. It is the users responsibility to satisfy themselves as to the suitability and completeness of the information for their own particular use. The user must determine whether the use of the information and data is in accordance with local laws and regulations.*

**END OF MSDS**