



THERMAL PRODUCTS WINTER 2018

THERMAL

thermalproducts.com.au

50 Years Of Quality Service & Products

Thermal Products

30 Years of quality service and support Australia wide in the electrical industry

Northern Gas & Electrical

20 years of quality service and support Australia wide in the gas industry



50 Years of Product Knowledge

50 Years Of Helpful Service

50 Years of Customer Satisfaction

50 Years Of Proud Australian Ownership

Now boasting 50 years of combined industry experience and product knowledge Thermal Products is proud to announce the incorporation of Northern Gas and Electric. Servicing the domestic, commercial and industrial sectors Thermal Products is truly your one stop shop for all your gas and electrical needs.

OVEN ELEMENTS & SPARES

Domestic Oven Elements

Image	Part Number	Description	Alternate Part Number
	TF1260	2200W FAN FORCED OVEN ELEMENT	10318 GA26A000 0122004506 0122004395
	TF1261	2400W FAN FORCED OVEN ELEMENT	10343 GA260001 NZ71078
	TF167	2200W FAN FORCED OVEN ELEMENT	20.35167.000
	TF2325	2500W FAN FORCED OVEN ELEMENT WITH SCREWS	ET482325 ET482099
	TF2500	2200W FAN FORCED OVEN ELEMENT	2546 VG25000
	TF2543	2100W FAN FORCED OVEN ELEMENT WITH SCREWS	ET482543
	TF2700	2400W FAN FORCED OVEN ELEMENT	VG27A000 2470
	TF294	2500W FAN FORCED OVEN ELEMENT	FP447752

Image	Part Number	Description	Alternate Part Number
	TF350	2200W FAN FORCED OVEN ELEMENT	122004547
	TF374	2200W FAN FORCED OVEN ELEMENT T/S ST GEORGE	
	TF6791	2400W FAN FORCED OVEN ELEMENT	1976 36758
	TF9000	2200W FAN FORCED OVEN ELEMENT	2567 VF090000
	TF9401	1800W FAN FORCED ELEMENT	2550 FN94B0001
	TG1820	2200W GRILL ELEMENT	10319 VU82C0000 9953 0122004499 0122004394
	TO1327	2200W BOTTOM OVEN ELEMENT	91327 1682 1844 FN560000
	TO1601	1800W BOTTOM OVEN ELEMENT	9613 VF61D000 0122002068

Image	Part Number	Description	Alternate Part Number
	TO1830	2000W BOTTOM OVEN ELEMENT	10323 VU830000 0122004495 0122004398
	TO2041	2100W BOTTOM OVEN ELEMENT	1087 42041
	TO2921	2200W BOTTOM OVEN ELEMENT	1292
	TO3131	2300W BOTTOM OVEN ELEMENT	1832 823131

Image	Part Number	Description	Alternate Part Number
	TO3981	2400W BOTTOM OVEN ELEMENT	1893
	TO4000	2200W BOTTOM OVEN ELEMENT	VF04000 2559
	TO8701	1800W BOTTOM OVEN ELEMENT	0122004537 81078 11656
	WA4819259 28847	1000W BOTTOM OVEN ELEMENT	

European Oven Elements

Image	Part Number	Size mm (H x W or Int ø)	Description
	IM101-01	186	FAN FORCED ELEMENT TRIPLE RING SHORT NECK 2300W T/S LA GERMANIA
	IM101-02	186	FAN FORCED ELEMENT TRIPLE RING SHORT NECK 3000W TO SUIT LA GERMANIA
	IM102-01	375 x 425	BOTTOM ELEMENT 1800W T/S LA GERMANIA

Image	Part Number	Size mm (H x W or Int ø)	Description
	IM11-01	186	FAN FORCED ELEMENT TRIPLE RING LONG NECK 2300W T/S TECHNIKA, BLANCO, LINNEA ETC
	IM11-02	230	FAN FORCED ELEMENT 3KW 240V TRIPLE RING SHORT NECK WITH STUDS IN MOUNTING PLATE
	IM11-03	186	FAN FORCED ELEMENT 1600W T/S TEC








Image	Part Number	Size mm (HxW or Int ø)	Description
	IM12-01	347 x 340	TOP/BOTTOM ELEMENT 160MM PLATE 1300W T/S TECHNIKA
	IM12-02	325 x 347	BOTTOM ELEMENT 1300W T/S TECHNIKA
	IM12-03	338 x 347	TOP/BOTTOM ELEMENT 100MM PLATE 1300W TO SUIT TECHNIKA
	IM12-04	315 x 209	TOP/BOTTOM ELEMENT 160MM PLATE 1350W TO SUIT TECHNIKA
	IM12-05	320 x 217	TOP/BOTTOM ELEMENT 100MM PLATE 1800W TO SUIT TECHNIKA
	IM12-06	389 x 282	BOTTOM ELEMENT 1200W
	IM12-07	335 X 345	1100W TOP / BOTTOM ELEMENT
	IM13-01	339 x 312	GRILL ELEMENT 160MM PLATE 900/1350W TO SUIT TECHNIKA


Image	Part Number	Size mm (HxW or Int ø)	Description
	IM13-02	345 x 350	GRILL ELEMENT 900/1350W
	IM21-01	186	FAN FORCED ELEMENT SHORT NECK WITH SCREWS 2100W T/S SMEG OMEGA TECHNIKA
	IM21-02	186	FAN FORCED ELEMENT DUAL RING K WITH 4MM SCREWS 2600W T/S SMEG OMEGA TECHNIKA
	IM21-04	186	FAN FORCED ELEMENT 2000W
	IM21-05	186	FAN FORCED ELEMENT TRIPLE RING SHORT NECK 2700W WITH 4mm SCREWS
	IM21-06	186	FAN FORCED OVEN ELEMENT DUAL RING SHORT NECK CENTER MOUNT HOLE 1550W T/S SMEG
	IM21-07	186	FAN ELEMENT CENTRE MOUNT SCREW 2000W 240V T/S SMEG
	IM21-08	186	FAN ELEMENT CENTRE MOUNT HOLE 2700W 240V T/S SMEG






Image	Part Number	Size mm (HxW or Int ø)	Description
	IM22-01	381 X 278	TOP/BOTTOM ELEMENT WITH 4MM SCREWS 1000W T/S SMEG OMEGA
	IM22-02	316 X 312	TOP/BOTTOM ELEMENT WITH 4MM SCREWS 2000W T/S SMEG OMEGA
	IM22-03	342 X 306	GRILL ELEMENT WITH SCREWS 1800W T/S OMEGA
	IM22-04	371 X 398	BOTTOM ELEMENT WITH SCREWS 1415W T/S SMEG OMEGA
	IM22-05	365 X 205	BOTTOM ELEMENT 750W T/S SMEG OMEGA
	IM22-06	360 X 380	BOTTOM ELEMENT 1300W T/S SMEG OMEGA
	IM22-07	400 X 649	BOTTOM ELEMENT 1800W T/S SMEG OMEGA
	IM23-01	379 X 361	GRILL ELEMENT WITH 4MM SCREWS 1000/1800W T/S SMEG OMEGA






Image	Part Number	Size mm (HxW or Int ø)	Description
	IM23-02	338 X 350	GRILL ELEMENT WITH 4MM SCREWS 3100W T/S SMEG OMEGA
	IM23-03	397 x 382	OVEN ELEMENT 1200W TO SUIT SMEG
	IM23-04	385 x 517	DUAL GRILL ELEMENT 1050/750W T/S SMEG OMEGA
	IM23-06	372 x 540	DUAL GRILL ELEMENT 1415/1742W T/S SMEG OMEGA
	IM23-07	385 x 622	DUAL GRILL ELEMENT 4100W T/S SMEG OMEGA
	IM23-08	353 x 226	DUAL GRILL ELEMENT 650/1400W T/S SMEG OMEGA
	IM23-09	365 x 384	DUAL GRILL ELEMENT 762/1305W TO SUIT SMEG OMEGA
	IM23-10	354 x 425	DUAL GRILL ELEMENT 800/2000W T/S SMEG OMEGA






Image	Part Number	Size mm (HxW or Int ø)	Description
	IM23-11	370 x 540	DUAL GRILL ELEMENT 1050/2800W T/S SMEG OMEGA
	IM23-12	368 x 385	DUAL GRILL ELEMENT 1000/1700W T/S SMEG OMEGA
	IM31-01	186	FAN FORCED ELEMENT DUAL RING LONG NECK 2515W T/S ILVE
	IM32-01	301 x 316	TOP/BOTTOM ELEMENT 1740W T/S ILVE
	IM32-02	356 x 358	TOP/BOTTOM ELEMENT 1415W T/S ILVE
	IM32-03	360 x 495	TOP/BOTTOM ELEMENT 1635W T/S ILVE
	IM32-04	352 x 348	TOP/BOTTOM ELEMENT 900W T/S ILVE
	IM33-01	390 x 512	GRILL ELEMENT 1000/2400W T/S ILVE




Image	Part Number	Size mm (HxW or Int ø)	Description
	IM41-01	186	FAN FORCED ELEMENT DUAL RING SHORT NECK 2000W T/S BOMPANI
	IM42-01	345 x 306	BOTTOM ELEMENT 1500W T/S BOMPANI
	IM42-02	379 x 642	BOTTOM ELEMENT 1650W T/S BOMPANI
	IM42-03	311 X 226	TOP GRILL ELEMENT 2000W T/S BOMPANI
	IM43-01	331 x 307	TOP GRILL ELEMENT 2700W T/S BOMPANI
	IM43-02	397 x 640	TOP GRILL ELEMENT 3550W T/S BOMPANI
	IM51-02	186	FAN FORCED ELEMENT DUAL RING SHORT NECK 2300W T/S BLANCO SMEG TECHNIKA
	IM51-03	186	FAN FORCED ELEMENT DUAL RING SHORT NECK 2400W




Image	Part Number	Size mm (HxW or Int ø)	Description
	IM52-01	185	BOTTOM ELEMENT 1000W T/S BLANCO
	IM52-02	340 x 462	BOTTOM ELEMENT 1400W T/S BLANCO
	IM53-01	326 x 371	GRILL ELEMENT 800/1600W 220V T/S BLANCO
	IM53-02	302 x 396	GRILL ELEMENT 800/1800W 230V T/S BLANCO
	IM53-03	343 X 278	GRILL ELEMENT 1800W
	IM61-01	180	DUAL RING F/F ELEMENT 2000W T/S ARISTON
	IM61-02	180	DUAL RING F/F ELEMENT 1600W
	IM61-03	186	TRIPLE RING FAN FORCED ELEMENT LONG NECK 2800W



Image	Part Number	Size mm (HxW or Int ø)	Description
	IM62-01	375 x 307	BOTTOM OVEN ELEMENT 1200W T/S ARISTON
	IM62-02	377 x 320	BOTTOM OVEN ELEMENT 1500W T/S ARISTON
	IM62-04	377 x 320	BOTTOM OVEN ELEMENT 1200W T/S ARISTON
	IM62-05	371 x 505	BOTTOM OVEN ELEMENT 1300W T/S ARISTON
	IM62-06	350 x 517	BOTTOM OVEN ELEMENT 1550W
	IM63-01	350 x 299	DUAL GRILL ELEMENT 1200/800W T/S ARISTON
	IM63-02	375 x 287	GRILL ELEMENT 2700W T/S ARISTON
	IM63-03	375 x 288	GRILL ELEMENT 2700W T/S ARISTON




Image	Part Number	Size mm (HxW or Int ø)	Description
	IM63-04	375 x 288	GRILL ELEMENT 2250W T/S ARISTON
	IM63-05	340 x 480	DUAL GRILL ELEMENT 1050/2000W T/S ARISTON & TECHNICA
	IM63-07	367 x 539	DUAL GRILL ELEMENT 1050/2500W
	IM71-01	186	2500W/230V FAN ELEMENT SHORT NECK TRIPLE RING
	IM72-01	352 x 532	BOTTOM ELEMENT 2050W 230V
	IM72-02	404 x 346	GRILL ELEMENT 1400W 230V TO SUIT DELONGHI
	IM81-01	186	FAN FORCED ELEMENT DUAL RING SHORT NECK 2150W T/S KLEENMAID TECHNOCOOK
	IM81-02	186	FAN FORCED ELEMENT 2000W T/S KLEENMAID

Image	Part Number	Size mm (HxW or Int ø)	Description
	IM81-03	195	DUAL RING FAN FORCED ELEMENT 2200W WITH 4MM SCREWS
	IM82-01	319 x 210	TOP/BOTTOM ELEMENT 1800W T/S KLEENMAID
	IM82-02	400 x 307	BOTTOM ELEMENT 1100W TO SUIT KLEENMAID
	IM83-01	390 x 345	GRILL ELEMENT 550/2750W TO SUIT KLEENMAID
	IM83-02	346 x 341	GRILL ELEMENT 800/1800W TO SUIT KLEENMAID
	IM91-04	186	FAN FORCED ELEMENT LONG NECK DUAL RING IRCA 2000W
	IM91-05	186	FAN FORCED ELEMENT LONG NECK HERMETIC 2500W
	IM91-07	190	FAN FORCED ELEMENT DUAL RING SHORT NECK 2000W 205MM DIA







Image	Part Number	Size mm (HxW or Int ø)	Description
	IM91-08	186	FAN FORCED ELEMENT 1600W/230V T/S BELLING
	IM91-09	235	FAN FORCED ELEMENT 2500W/240V T/S BELLING
	IM91-10	205	1800W DUAL RING FAN FORCED ELEMENT TO SUIT EUROMAID
	IM92-02	321 x 291	BELLING 1800W
	IM92-03	325 x 295	BOTTOM ELEMENT STILE/STAR 1250W
	IM92-04	375 x 306	OVEN ELEMENT LOFFRA 1650W
	IM92-05	316 x 507	OVEN ELEMENT LOFFRA 1750W
	IM92-06	356 x 349	OVEN ELEMENT 1600W T/S IAG

Image	Part Number	Size mm (HxW or Int ø)	Description
	IM92-07	330 x 280	OVEN ELEMENT 1800W
	IM92-08	305 X 205	GRILL ELEMENT 1500W/230V T/S 60/70CM LOFRA UPRIGHT OVENS
	IM92-09	400 X 335	ELEMENT 1300W/230V TO SUIT EUROMAID
	IM93-02	354 X 364	GRILL ELEMENT 1500/720W T/S BELLING
	IM93-07	381 x 385	SMEG GRILL 1960/870W
	IM93-08	395 x 302	DUAL GRILL ELEMENT 1000/2500W
	IM93-09	364 x 534	DUAL GRILL ELEMENT 1000/2000W T/S 80/90CM LOFRA UPRIGHT OVENS
	IM93-10	350 X 370	DUAL GRILL ELEMENT 900/1500W TO SUIT LOFRA

EGO Cooking Elements







Image	Part Number	Size mm (HxW or Int ø)	Description
	20.35120.000	420 x 410	3000W Dual Top Oven Element
	20.35129.000	430 x 355	2200W Grill Element
	20.35130.000	410 x 355	2200W Grill Element
	20.35130.010	410 x 355	1800W Grill Element
	20.35132.000	440 x 410	3000W Dual Top Oven Element
	20.35134.000	440 x 160	1200W Split Grill Element

Image	Part Number	Size mm (HxW or Int ø)	Description
	20.35146.000	405 x 350	2200W Grill Element
	20.35149.000	205	2200W Fan Forced Oven Element
	20.40263.000	350 x 355	3300w Grill Element
	20.40411.010	190	2000w Fan Forced Element
	20.40778.000	350 x 355	3300w Grill Element
	20.40783.000	380 x 370	2300w Grill Element

Coil Type Hotplates

Image	Part Number	Description	Alternate Part Number	Image	Part Number	Description	Alternate Part Number
	TH1039	1800w Hotplate Element	FW390000 9728		TH1365	1250W Hotplate Element	1903 820365
	TH1040	1200w Hotplate Element	FW40000 9726		TH1367	2050W Hotplate Element	1901 820367
	TH1100	1100w Hotplate Element	FV10A000 9523		TH1501	1800W Hotplate 8"	3501-10
	TH1334	1250w Hotplate Element	4800334 2433		TH1503	1100W Hotplate 6"	3503-10
	TH1335	1100w Hotplate Element	4383 56335		TH1710	1250W Hotplate 6"	FK71000 1803-10
	TH1336	1800w Hotplate Element	4381 56336		TH1720	2100W Hotplate Element 8"	FK72000 1801-10
	TH1338	2050W Hotplate Element	2431 4800338		TH1732	1250W Hotplate Element 6"	1753 2733

Image	Part Number	Description	Alternate Part Number
	TH1733	2100W Hotplate Element 8"	1751 2731
	TH1800	1800W Hotplate 8"	FV11A000 9525
	TH2248	1250W Hotplate 6"	2248G40 1748
	TH2249	2050W Hotplate 8"	2249G40 1749
	TH800C	1250W Hotplate Wired-In 6-1/4"	10338 GB80C000 9560
	TH820C	2050W Hotplate Wired-In 8"	10339 GB82C000 9561

Image	Part Number	Description	Alternate Part Number
	TH8296	1250W Hotplate 6"	1250-10
	TH8299	2100W Hotplate 8"	1248-10
	TH8300	1800W Hotplate 8" with Brown Bowl	FX83000 9729BR
	TH8400	1200W Hotplate 6" with Brown Bowl	FX84000 9730BR
	TFP573087	1200W Fisher & Paykell Hotplate	9807 BLOW
	TFP573088	1800W Fisher & Paykell Hotplate	9808 CALM

Hotplate Sockets

Image	Part Number	Description
	SE126	Socket Assembly to suit TH2249 & TH2248
	SE127	Socket Assembly to suit TH1733 & TH1732

Image	Part Number	Description
	SE129	Socket Assembly to suit TH1720 & TH1710

Under Glass Hotplates

Image	Part Number	Size	Wattage/ Voltage
	10.51111.001	210mm Dia	2300W 240V
	GEV490044	210/140mm Dia	2200W 240V
	10.53211.033	230/140mm Dia	2500W 240V
	10.54111.004	140mm Dia	1200W 240V
	10.56111.002	160mm Dia	1200W 240V
	10.57411.603	170 x 265	2400W 240V

Image	Part Number	Size	Wattage/ Voltage
	10.58111.004	180mm Dia	1800W 240V
	10.58211.003	180/120mm Dia	1700W 240V
	10.59111.042	195mm Dia	2000W 240V
	10.83431.034	Oval	2000W 240V
	10.88631.434	180mm Dia	1700W 240V

Solid Hotplates – High Profile 8mm Trim Ring

Image	Part Number	Size	Wattage/ Voltage
	12.14413.003	145mm Dia	1000W 240V
	12.14453.183	145mm Dia	1000W 240V
	12.14463.183	145mm Dia	1500W 240V
	12.14483.003	145mm Dia	1500W 240V
	12.18453.183	180mm Dia	1500W 240V
	GEV490016	180mm Dia	2000W 240V
	12.18483.003	180mm Dia	2000W 240V

Image	Part Number	Size	Wattage/ Voltage
	12.22453.183	220mm Dia	2000W 240V
	12.22454.183	220mm Dia	2600W 240V
	12.84284.103	145mm Dia	1500W 240V
	12.84474.103	145mm Dia	1500W 240V
	12.84483.103	145mm Dia	1500W 240V
	12.88483.103	180mm Dia	2000W 240V
	12.88474.103	180mm Dia	2000W 240V

Solid Hotplates – High Profile 4mm Trim Ring

Image	Part Number	Size (DIA)	Wattage/ Voltage
	13.14356.030	145mm Dia	1000W 240V
	13.14283.003	145mm Dia	1500W 240V
	13.14453.030	145mm Dia	1000W 240V
	13.14463.030	145mm Dia	1500W 240V

Image	Part Number	Size	Wattage/ Voltage
	13.18283.003	180mm Dia	2000W 240V
	13.18463.030	180mm Dia	2000W 240V
	13.88463.103	180mm Dia	2000W 240V

Fan Motors

Fan Forced Oven Fan Motors

Image	Part Number	Description	Shaft Length
	2079	Universal fan forced fan motor with mounting plate	12.5mm
	OVE007	Universal fan forced fan motor with accessories	Variable
	0214002118K	Electrolux Bios Fan Motor and Accessories	22mm

Image	Part Number	Description	Shaft Length
	C200153	EGO fan forced Motor	17.5mm
	C200158	EGO fan forced motor	11.0mm
	C200192	EGO Vertical Mount fan motor	12.5mm

Barrel Fan Cooling Motors

Image	Part Number	Description	Barrel Length
	TE201R	Right Mounted Rotary fan motor 38W / 240V	125mm
	TE202	Rotary fan motor 38W / 240V	305mm
	TE203	Rotary fan motor 25W / 240V	180mm

Image	Part Number	Description	Barrel Length
	TE203R	Right Mounted Rotary fan motor 25W / 240V	180mm
	TE205	Rotary fan motor 8W / 240V	200mm
	AI795210620	Fan Motor only	Suits multiple clip on barrels

Space Heater Fan Motors

Image	Part Number	Description	Barrel Length
	62.35.6631	Fan Pyrox 14"	360mm
	62.35.6632	Fan Pyrox 7"	180mm
	62.42.5911	Fan t/s Rinnai	300mm

Image	Part Number	Description	Barrel Length
	62.46.5904	Fan t/s vulcan 20 series	2 x 115mm
	62.46.5912	Fan t/s Vulcan Heritage	420mm
	62.48.5904	Fan t/s Vulcan Burwood	2 x 150mm

Wall Furnace Fan Motors

Image	Part Number	Description
	62.01.7802	Fan Motor T/s D12 Wall Heaters

Image	Part Number	Description
	62.46.6767	Fan Motor Only t/s Vulcan Quasar Wall Heater

Central Heating Motors

Image	Part Number	Suits Brand	Wattage
	62.46.2515	Bonaire	315W
	62.46.2513	Bonaire	600W
	62.46.2511	Bonaire	750W

Image	Part Number	Suits Brand	Wattage
	62.48.6203	Bravis	315W
	62.48.6204	Bravis	500W
	62.48.6205	Bravis	600W

Combustion Fans

Image	Part Number	Suits Brand	Info
	62.01.2500	Braemar	Short Spout
	62.46.2517	Bonaire	3 star and 4 star models
	62.46.2518	Bonaire	5 Star models

Image	Part Number	Suits Brand	Info
	62.04.6200	Carrier	Motor Only
	62.46.2505	Vulcan	Vulcan internal Units
	62.46.2502	Vulcan	Vulcan External Units

Heating Control Boards

Image	Part Number	Description
	62.46.1121	MB3 Board
	62.48.1103	BCG Board

Image	Part Number	Description
	62.48.1399	Classic
	62.48.5578	TEK 321

COMMERCIAL HEATING ELEMENTS

Straight Bend It Yourself Heating



31 kW / sq. m Elements For Wet & Dry Use

Part Number	Wattage/Voltage	Length
H03716	500W/240V	675mm
H03717	1000W/240V	1295mm
H03718	1250W/240V	1635mm
H03719	1500W/240V	1935mm


46.5 kW / sq. m elements for Water or Air Heating

Part Number	Wattage/Voltage	Length
H03790	500W/240V	484mm
H03791	750W/240V	695mm
H03792	1000W/240V	910mm
H03793	1250W/240V	1120mm
H03794	1500W/240V	1330mm
H03795	1800W/240V	1585mm
H03796	2000W/240V	1755mm
H03797	2400W/240V	2280mm
H03798	3000W/240V	2600mm

120kW / sq. m Elements For Water Heating Only


Part Number	Wattage/Voltage	Length
H03721	1250W/240V	445mm
H03722	1500W/240V	545mm
H03723	1800W/240V	645mm
H03724	2000W/240V	715mm
H03725	2400W/240V	850mm
H03726	3000W/240V	1048mm
H03727	3600W/240V	1250mm
H03728	4800W/240V	1650mm

Snow Shoe Bain Marie Elements with 1" BSP Thread



Part Number	Wattage / Voltage	Penetration length
TP700	1500W/240V	450mm
TP701	2400W/240V	450mm

Roband Bain Marie Elements



Part Number	Wattage / Voltage	Dimension A
HC0030	1200W/240V	370mm
HC0031	1800W/240V	660mm
HC0032	2700W/240V	1000mm
HC0033	2700W/240V	1290mm
HC0034	2700W/240V	1580mm


TG3 Portable Immersion Element



Part Number	Description
TG3	2.4kW 240V portable over the side water heating element with 1.8mt lead and 10A plug

Pre-formed Heating Elements

U-Shaped Bain Marie Elements with 250mm Centres & 3/8" Bushes




Part Number	Wattage / Voltage	Dimension A
TP709	2400W/240V	900mm
TP712	2400W/240V	1200mm
TP715	2400W/240V	1500mm
TP718	2400W/240V	1800mm

Nickel Plated Copper Water Heating Elements

Image	Part Number	Description	Image	Part Number	Description
	TUE1500	1" BSP 1500W Heating Element		TWB2400	2400W Spiral Water Heating Element with 3/8" BSP bushes
	TUE2400	1" BSP 2400W Heating Element		TUE4200	1" BSP 2400W Heating Element

2" BSP Triple Immersion Elements

Image	Part Number	Wattage	Voltage	Penetration Length (A)
	HOT04A000	10kw	240V	620mm
	HOT04A001	10kw	415V	620mm
	HOT04B000	15kw	240V	930mm
	HOT04B001	15kw	415V	930mm
	HOT04C000	20kw	240V	1180mm
	HOT04C001	20kw	415V	1180mm
	HOT310000	6.0kw	240V	560mm
	HOT31A000	3.6kw	240V	330mm
	HOT31B000	4.8kw	240V	380mm
	HOT31C000	7.2kw	240V	730mm
	HOT31D000	9.6kw	240V	965mm
	HOT41A000	1.5kw	240V	500mm
	HOT41B000	2.4kw	240V	600mm
	HOT41C000	3.6kw	240V	620mm
	HOT41D000	4.8kw	240V	825mm
	HOT41E000	6.0kw	240V	1260mm
	HOT500000	6.0kw	240V	560mm
	HOT50A000	3.6kw	240V	330mm
	HOT50B000	4.8kw	240V	330mm
	HOT50C000	7.2kw	240V	730mm
	HOT50D000	9.6kw	240V	962mm

Heat Lamps

Ceramic Ends with Leads



Part Number	Length	Wattage	Voltage
64125020	235mm	500	120
64245021	235mm	500	240
64241021	345mm	1000	240
64241622	496mm	1600	240

Metal Ends with Leads



Part Number	Length	Wattage	Voltage
64125021	225mm	500	120
64245022	225mm	500	240
64241022	345mm	1000	240
64241621	496mm	1600	240
64482521	732mm	2500	480

Lamps with R7S ceramic fitting



Part Number	Length	Wattage	Voltage
54245027	118mm	500	240
54243022	235mm	300	240
64243021	118mm	300	240
64245023	220mm	500	240
64245028	235mm	500	240
EC0046	188mm	1000	240
EC0047	254mm	1500	240
EC0154	188mm	750	240

22mm OD Jacketed Lamps with ceramic R7S fitting



Part Number	Length	Wattage	Voltage
64241017	118mm	100	240
64242013	118mm	200	240
64242014	220mm	200	240
64243011	118mm	300	240
64243012	220mm	300	240
64245014	220mm	500	240
EC0421	180mm	350	240
EC0422	180mm	250	240

Lamps with 80mm Crimped Ends



Part Number	Length	Wattage	Voltage
ES0255	180mm	250	240
ES0256	180mm	350	240

AH Series 240V Heat Lamp Assemblies



Part Number	Description	Unit length	Total Wattage
AH380-1500	QIR Lamp assembly with 1 x 500W lamp	380mm	500W
AH600-1500	QIR Lamp assembly with 1 x 500W lamp	600mm	500W
AH900-2500	QIR Lamp assembly with 2 x 500W lamps	900mm	1000W
AH1200-2500	QIR Lamp assembly with 2 x 500W lamps	1200mm	1000W
AH1500-3500	QIR Lamp assembly with 3 x 500W lamps	1500mm	1500W
AH1800-4500	QIR Lamp assembly with 4 x 500W lamps	1800mm	2000W

Please note custom sizes can also be provided as necessary. All units are supplied with 64245014 or 64243012 as a standard lamp

Accessories

Image	Part Number	Description
	K504	M14 Nut mount lamp holder to suit R7S lamps 10A/240
	K504-400	As above with 400mm leads
	DX181C	Flange mount lamp holder to suit R7S lamps
	LA208	Heavy duty flange mount lamp holder to suit R7S lamps
	IR7SH	Ceramic block mount lamp holder to suit R7S lamps
	GEV359544	R7S Bulb socket assembly to suit 118mm lamps
	ES0335	Lamp Terminal with baffle

Thermostats & Controls

EGO Thermostats



51 Series Capillary Thermostats 16A(4A) 240V (unless noted)

Part Number	Features / Applications	Temp Range	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
51.10815.100		0-40	890mm	104 x 8	20 Amp Changeover	524.104A	
51.32915.140	Manual Reset	220	830mm	144 x 6	Changeover	N/A	
51.33955.050	Manual Reset Deep Fryer	238	1430mm	144 x 6	Changeover	N/A	✓

55.130 Series Capillary Thermostats 16A(4A) 240V (unless noted)



Part Number	Features / Applications	Temp Range	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
55.13001.150	Spa pools	0 - 40	380	108 x 6	Single contact	524.104A	
55.13006.010	General applications	0 - 40	2930	147 x 6	Single contact	524.104A	
55.13012.740	Water heaters	50 - 79	870	83 x 6	Single contact	929.27	
55.13022.010	General applications	31 - 110	870	113 x 6	Single contact	524.105A	✓
55.13022.050	Bain Maries-Urns etc.	31 - 110	870	113 x 6	Single contact	524.105A	
55.13024.020	Bain Maries-Urns etc.	30 - 110	1170	113 x 6	Single contact	524.105A	✓
55.13034.040	Deep Fat Fryers	55 - 200	1430	77 x 6	Single contact	524.106A	✓
55.13042.180	Deep Fat Fryers	98 - 205	870	157 x 4	Single contact	524.102A	✓
55.13042.230	Gas Deep Fryers	98 - 205	870	157 x 4	Contacts // 0.5Amp	524.102A	✓
55.13042.340	General applications	98 - 205	870	87 x 6	Single contact	524.102A	✓
55.13052.110	Ovens / Griddle Plates	65 - 288	870	91 x 4	Single contact	524.101A	
55.13053.010	Griddle plates	50 - 270	1130	160 x 3.1	Single contact	524.111A	
55.13055.050	Barbeque	60 - 256	1770	Pan Sensor	Single contact	N/A	
55.13064.110	Ovens	50 - 320	1430	160 x 3.1	Single contact	524.156A	
55.13072.150	Pastry Ovens	60 - 380	830	228 x 3.9	Single contact	N/A	
55.13072.150M	Stonegrill Oven	90 - 410	830	228 x 3.9	Single contact	N/A	
55.13082.040	Pizza Ovens	50 - 460	600	228 x 3.9	Single contact	524.856	

55.131 Series Capillary Thermostats 16A 240V (unless noted)



Part Number	Features / Applications	Fixed Temp	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
55.13111.110	Coopers Boil & Brew	74	390	147 x 6	Single Contact	N/A	✓
55.13112.140	Auto reset	92	870	113 x 6	Single Contact	N/A	✓

55.132 Series Capillary Thermostats 16A 240V (unless noted)


Part Number	Features / Applications	Temp Range	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
55.13202.130	Hot House/ Incubators	20 – 50	870	173 × 6	Changeover	524.103A	
55.13204.010	General applications	0 – 40	1430	147 × 6	Changeover	524.104A	
55.13205.010	Refrigeration	-1	1730	98 × 6	Changeover	N/A	
55.13219.320	General applications	32 – 90	710	129 × 6	Changeover	N/A	
55.13232.010	Deep Fat Fryers	60 – 200	850	75 × 6	Changeover	524.106A	
55.13234.010	Deep Fat Fryers	62 – 200	1430	77 × 6	Changeover	524.106A	✓
55.13244.010	Ovens / Steam Ovens	50 – 250	1430	160 × 3.1	Changeover	524.110A	✓
55.13262.010	Ovens	50 – 320	870	160 × 3.1	Changeover	524.107A	

55.17 Series Capillary Thermostats 16A(4A) 240V (unless noted)


Part Number	Features / Applications	Temp Range	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
55.17022.010	Urns etc	30 – 120	860	113 × 6	Single contact	524.115A	✓
55.17024.010	Bain Marie's / Urns etc	30 – 110	1440	94 × 6	Single contact	524.105A	✓
55.17042.050	Deep Fat Fryers	98 – 205	840	87 × 6	Single contact	524.102A	✓
55.17052.040	Ovens / Griddle Plates	48 – 285	840	152 × 3	Single contact	524.101A	
55.17052.310	General applications	182 – 275	840	196 × 3.03	Single contact	N/A	
55.17059.150	Ovens	57 – 287	1060	120 × 3.03	Single contact	N/A	
55.17082.180	Ovens	50 – 320	840	160 × 3.1	Single contact	524.107A	
55.17083.040	Ovens	50 – 320	1440	160 × 3.1	Single contact	524.158A	
55.17063.050	Ovens	50 – 320	1440	160 × 3.1	Single contact	524.158A	
55.17204.010	General applications	0 – 40	1440	147 × 6	Changeover	524.104A	

55.135 Series Capillary Thermostats 16A(4A) 240V (unless noted)


Part Number	Features / Applications	Fixed Temp	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
55.13501.030	Spa Heaters Manual Reset	48	390	94 × 6	Single Contact	N/A	
55.13511.080	Spa Heaters Manual Reset	55	390	94 × 6	Single Contact	N/A	
55.13512.090	Manual Reset	100	870	77 × 6	Single Contact	N/A	
55.13512.110	Manual Reset	75	870	77 × 6	Single Contact	N/A	
55.13512.120	Manual Reset	90	830	88 × 6	Single Contact	N/A	
55.13521.080	Manual Reset	120	350	147 × 6	Single Contact	N/A	
55.13522.250	Manual Reset	145	870	77 × 6	Single Contact	N/A	✓
55.13544.010	Deep Fryer Manual Reset	238	1470	77 × 6	Single Contact	N/A	✓
55.13583.010	Oven Manual Reset	420	1130	228 × 3.9	Single Contact	N/A	

55.136 Series Capillary Thermostats 16A(4A) 240V (unless noted) with Auxiliary Contact Switch


Part Number	Features / Applications	Temp Range	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
55.13602.030	Fan heaters	0 – 40	870	Spiral 95 × 25	Single Contact	524.104A	
55.13664.050	Ovens	50 – 320	1430	160 × 3.1	Single Contact	524.156A	
55.13664.060	Ovens / Bake – Grill	50 – 320	1430	160 × 3.1	Changeover	524.113A	
55.13664.070	Fan Oven	50 – 320	1430	160 × 3.1	Single Contact	524.158A	
55.13664.080	Oven – bake / grill	70 – 341	1430	147 × 3.1	Single Contact	N/A	
55.13669.040	Fan Ovens	50 – 320	2380	160 × 3.1	Single Contact	524.107A	

55.18 Series Capillary Thermostats 16A(4A) 240V (unless noted)


Part Number	Features / Applications	Temp Range	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
55.18001.010	Heating applications	0 – 40	390	147 × 6	Single contact	524.104A	
55.18002.010	Seed propagation	0 – 40	870	147 × 6	Single contact	524.104A	
55.18003.010	General applications	2.5 – 40	1170	147 × 6	Single contact	N/A	
55.18022.020	Urns etc	30 – 120	870	102 × 6	Single contact	524.115A	✓
55.18029.010	General applications	35 – 150	185	100 × 4	Single contact	N/A	
55.18084.020	Oven	50 – 320	1470	160 × 3.1	Single contact	524.107A	
55.18084.040	Oven	50 – 320	1470	160 × 3.1	Single contact	524.156A	
55.18084.090	Oven	50 – 320	1470	160 × 3.03	Single contact	524.156A	
55.18224.010	General applications	30 – 110	1470	113 × 6	Changeover	524.105A	
55.18664.020	Fan Oven	54 – 324	1470	160 × 3.1	Single Contact w/	524.107A	
55.18664.040	Fan Oven	50 – 320	1470	160 × 3.1	Single Contact w/	524.158A	
55.18664.050	Fan Oven	50 – 320	1470	160 × 3.1	Single Contact w/	524.156A	

55.19 Series Capillary Thermostats 16A(4A) 240V (unless noted)

Part Number	Features / Applications	Temp Range	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
55.19052.837	General use	40 - 270	900	145 x 3	Single Contact	N/A	
55.19053.823	General use	55 - 277	900	190 x 3	Single Contact	N/A	
55.19053.828	General use	42 - 293	1200	190 x 3	Single Contact	N/A	
55.19059.806	General use, twin probe	55 - 285	1200	114 x 3	Single Contact	N/A	
55.19059.810	General use, twin probe	55 - 280	900	140 x 3	Single Contact	N/A	
55.19059.812	General use, twin probe	50 - 285	1100	114 x 3	Single Contact	N/A	
55.19059.835	General use, twin probe	64 - 285	900	114 x 3	Single Contact	N/A	
55.19082.802	Pizza Ovens, Kilns	75 - 500	900	288 x 4	Single Contact	GEV 110248	
55.19112.800	Auto Reset	55	900	130 x 6	Single Contact	N/A	
55.19522.020	Manual Reset	130	870	130 x 6	Single Contact	N/A	

55.32 Series Capillary Thermostats 20A(4A) 240V (unless noted)

Part Number	Features / Applications	Fixed Temp	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
55.32522.010	General Applications	110	890	94 x 6	3 Pole manual reset	N/A	
55.32542.120	Special Applications	228	890	87 x 6	3 Pole manual reset	N/A	✓
55.32542.300	Gas Deep Fryers Limit	230	890	87 x 6	Manual Reset	N/A	✓

55.34 Series Capillary Thermostats 20A(4A) 240V (unless noted)

Part Number	Features / Applications	Fixed Temp	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
55.34024.040	Water boilers	32 - 110	1480	138x6	3 pole	524.105A	
55.34029.010	Saunas	28 - 112 32 - 116	2300	129x6	3 pole - Each pole 4"	N/A	
55.34029.070	General applications	32 - 110	3520	140x6	3 pole	524.105A	
55.34032.050	Deep Fat Fryers	65 - 200	880	77x6	3 pole	524.106A	✓
55.34054.060	General applications	50 - 300	1440	292x4	3 pole	524.807	
55.34062.040	General applications	50 - 320	880	226x3.1	2 pole	N/A	
55.34202.040	Air Conditioning	8 - 34 10 - 36 12 -	880	215x6	3 pole, Each pole 2" apart	N/A	
55.34314.130	Commercial Dishwashers	80 / 92 / 92	1480	173x6	3 pole fixed temp. for	N/A	✓
55.34314.160	Commercial Dishwashers	82 / 90 / 90	1480	173x6	3 pole fixed temp for	N/A	✓

56 Series Capillary Thermostats 16A(4A) 240V (unless noted)

Part Number	Features / Applications	Fixed Temp	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
56.10549.640	Deep Fryers Limit	220	700	77 x 6	Manual Reset	N/A	✓
56.10565.510	Ovens	360	1780	180 x 3.1	Trip free & fail safe	N/A	
56.10572.510	Ovens	365	880	76 x 5	Manual Reset	N/A	✓

76 Series Capillary Thermostats 16A(4A) 240V (unless noted)

Part Number	Features / Applications	Fixed Temp	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
76.01125.000	Auto Hotplate Pan Sensor	50 - 250	1500	Pan Sensor	Single Contact	N/A	

Rainbow Capillary Thermostats

TS Capillary Thermostats 20A(4A) 250V (unless noted) complete with knob and bezel



Part Number	Features / Applications	Temp Range	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
TS-040S	General Purpose	0-40	1500	6 x 125	Changeover	Included	
TS-050S	General Purpose	0-50	1500	6 x 125	Changeover	Included	
TS-120S	General Purpose	0-120	1500	5 x 101	Changeover	Included	
TS-120ST	General Purpose	0-120	1500	5 x 101	Single Contact	Included	✓
TS-200S	General Purpose	0-200	1500	5 x 84	Changeover	Included	
TS-200BL	General Purpose	0-200	1500	5 x 84	Changeover	Included	✓
TS-320S	General Purpose	50-320	1500	3 x 143	Single Contact	Included	

RST Capillary Thermostats 20A(4A) 250V (unless noted) complete with knob and bezel



Part Number	Features / Applications	Temp Range	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
RST-120S	General Purpose	0-120	1000	5 x 101	Changeover	Included	✓
RST-120ST	General Purpose	0-120	1500	5 x 101	Single Contact	Included	✓

**RNTS Heavy Duty Capillary Thermostats 30A 250V (unless noted)
complete with knob and bezel**



Part Number	Features / Applications	Temp Range	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
RNTS-120S	General Purpose	0-120	1000	8 x 166	Single Contact	Included	✓
RNTS-200S	General Purpose	0-200	1000	5.8 x 153	Single Contact	Included	✓
RNTS-320S	General Purpose	0-320	1000	5.8 x 152	Single Contact	Included	

Robertshaw Thermostats

EA Series Capillary Thermostats 25A(4A) 250V (unless noted)



Part Number	Features / Applications	Temp Range	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
EA3-511	Fixed Temp Zip Boilers	88		130 x 9	Single Contact	N/A	
RX10-36	Gas Deep Fryer	95 – 205	1130	130 x 9	M/Volt Only	P2670	✓
RX1-36	Gas Deep Fryer (USA)	95 – 205	1130	130	M/Volt Only	P2670	✓
TEA3447	Domestic	70 – 290	1520	288 x 5	Single Contact	103K	
TEA5497	Bake Oven	70 – 290	1830	288 x 5	Single Contact	P2638	
TEA5607	Bain Marie Hosp. Equip	15 – 120	1630	115 x 10	Single Contact	P2662	✓
TEA5701	Fryers	95 – 205	1220	145 x 10	Single Contact	P2670	✓

LC Series Capillary Thermostats 20A 240V



Part Number	Features / Applications	Temp Range	Capillary Length	Probe Size (mm)	Contacts	Knob to suit	Stuffing Gland
LCH-0025	Fryer Manual Reset	232	870	75 x 7.5	Single Contact	N/A	✓
LCCM-0017	Fryer Auto Reset	232	870	75 x 7.5	Single Contact	N/A	✓
LCHM0503000	Fryer Manual Reset	232	870	75 x 7.5	Single Contact	N/A	✓

Energy Regulators

Image	Part Number	Description	Amp / Voltage	Knob to suit
	50.56078.007	Single Pole Separate Pilot EGO Energy Regulator With Centre Bush	13A / 240V	524.100 / 524.010
	50.56078.008	Single Pole Separate Pilot EGO Energy Regulator With Centre Bush	13A / 240V	524.100 / 524.010
	50.57031.010	Double Pole Separate Pilot EGO Energy Regulator With Screw Mount	7A / 400V	524.100 / 524.010
	50.57071.010	Double Pole Separate Pilot EGO Energy Regulator With Screw Mount	13A / 240V	524.100 / 524.010
	TM32314	Double Pole Separate Pilot Energy Regulator With Centre Bush	13A / 240V	Appliance specific knobs. can be supplied pending availability
	TM55314	Single Pole Separate Pilot Energy Regulator With Centre Bush	13A / 240V	
	TM58314	Single Pole Separate Pilot Energy Regulator With Centre Bush	13A / 240V	
	TM82314	Double Pole Separate Pilot Energy Regulator With Centre Bush	13A / 240V	
	TMD3-110	Energy Regulator With Centre Bush to suit dual hotplates	15A / 240V	Appliance specific knobs. can be supplied pending availability
	TMP101	Single Pole Separate Pilot Energy Regulator With Centre Bush	15A / 240V	
	TMSA-V01	Double Pole Energy Regulator With Isolated Pilot and centre bush	15A / 240V	
	TMSA-V03	Double Pole Energy Regulator with centre bush	15A / 240V	
	TIG-6303	Single Pole Separate pilot simmerstat with centre bush c/w knob. Mounting - 12mm Thread	13A / 240V	Included

Swann Rotary Switches

Part Number	Description	Amps / Volts	Alt Part No
3820-806-00	4 Position Rotary Switch To Suit Arrow / Kanara Heaters	10A/ 240V	
3820-813-00	2 Position Rotary Switch	10A/ 240V	
3820-825-00	4 Position Rotary Switch	10A/ 240V	534001633
3820-830-00	4 Position Rotary Switch	10A/ 240V	46431 9980
3820-831-00	4 Position Rotary Switch	10A/ 240V	0534001665 55869

European Oven Rotary Switches

Image	Part Number	Description	Index Position	Volts/Amps
	PA210032013	Oven Selector Switch	8	16/240
	PA210032014	Oven Selector Switch	5	16/240
	AI20004597	Selector Switch	10	16/240
	A/034/08	Selector Switch	9	16/240
	A/034/09	Selector Switch	9	16/240
	A/034/11	Selector Switch	9	16/240
	33301001	Selector Switch	6	16/240

EGO Rotary Switches

Image	Part Number	Description	Index Position	Amps/volts
	41.32523.002	Oven Function Control	5	16/240
	41.32723.030	6 Heat Switch	7	12/240
	41.44723.030	4 Way Block switch. 6 heat control for hotplates	7	10/230
	42.00000.013	Oven Function Control	10	16/240
	42.02000.003	Oven Function Control	0,30-310oC	16/240
	42.02400.002	Oven Function Control	0,30,60-270,300o Angular	16/240
	42.02400.009	4 pole switch	0,30-270o angular	16/240

Image	Part Number	Description	Index Position	Volts/Amps
	42.02900.024	Oven Function Control	0,30,60-310o angular	16/240
	42.02900.025	Oven Function Control	0,30-310o Angular	16/240
	42.02900.026	Oven Function Control	0,30-330o Angular	16/240
	42.02900.028	Oven Function Control	0,30,60-310o Angular	16/240
	42.02901.000	Oven Function Control	0,30,60-270o Angular	16/240
	42.04400.014	Oven Function Control	4	16/240
	42.04400.022	Oven Function Control	4	16/240
	42.04400.024	Oven Function Control	4	16/240
	42.04900.000	Oven Function Control	2	16/240
	42.05000.002	Oven Function Control	5	16/240
	42.05000.009	Oven Function Control	5	16/240
	42.05100.001	Oven Function Control	5	16/240
	42.05100.002	Oven Function Control	5	16/240
	42.05800.002	Oven Function Control	5	16/240
	42.05800.003	Oven Function Control	5	16/240

Image	Part Number	Description	Index Position	Volts/Amps	Knob
	42.06000.015	Oven Function Control	6	16/240	n/a
	42.06000.028	Oven Function Switch	6	16/240	n/a
	42.06000.033	Oven Function Switch	6	16/240	n/a
	42.06000.042	Oven Function Switch	6	16/240	n/a
	42.06400.001	Oven Function Switch	3	16/240	n/a
	42.07000.005	Oven Function Switch	7	16/240	n/a
	42.07000.016	Oven Function Switch	7	16/240	n/a
	42.08000.009	Oven Function Switch	8	16/240	n/a
	42.08000.013	Oven Function Switch	8	16/240	n/a
	42.08000.021	Oven Function Switch	8	16/240	n/a
	42.08000.006	Oven Function Switch	8	16/240	n/a
	42.09000.017	Oven Function Switch	8	16/240	n/a
	42.09000.032	Oven Function Switch	8	16/240	n/a
	42.09001.000	Oven Function Switch	9	16/240	n/a
	42.09100.001	Oven Function Switch	9	16/240	n/a

Image	Part Number	Description	Index Position	Volts/Amps	Knob
	43.24232.000	3 Heat Switch (anticlockwise increase)	4	32/240	524.058A
	43.25232.000	4 Heat Switch (anticlockwise increase)	5	32/240	n/a
	43.27232.000	6 Heat Switch (Anticlockwise increase)	7	32/240	524.051A
	46.23866.551W	Oven Function Control	0,30,60,90-280,310o angular	16/240	n/a
	46.23966.542	Oven Function Control	0,30-270,300o angular	16/240	n/a
	46.23966.545	Oven Function Control	0,30-270,300o angular	16/240	n/a
	46.25866.511	Oven Function Control	5	16/240	n/a
	46.26866.501	Oven Function Control	6	16/240	n/a
	46.26866.508	Oven Function Control	6	16/240	n/a
	46.26866.518	Oven Function Control	6	16/240	n/a
	46.26866.503	Oven Function Control	6	16/240	n/a
	46.27266.500	6 Heat Switch (Anticlockwise increase)	7	16/240	n/a
	46.27266.530	6 Heat Switch	7	16/240	n/a
	46.27266.620	6 Heat Switch (Clockwise Increase)	7	16/240	n/a
	46.36866.501	Oven Function Control	6	16/240	n/a

Image	Part Number	Description	Index Position	Volts/Amps	Knob
	46.36966.500	Oven Function Control	6	16/240	n/a
	46.37966.503	Oven Function Control	7	16/240	n/a
	49.22015.000	Rotary Isolating Switch	2 pole on/off/on/off	16/240	n/a
	49.24015.500	3 Heat Switch (anticlockwise increase)	4	16/240	524.058A
	49.24815.010	Dishwasher Function	4	16/240	n/a
	49.27215.000	6 Heat Switch (anticlockwise increase)	7	16/240	524.015A

EGO Temperature Indicators

Part Number	Temp Range	Dial Size (mm)	Hole Cut Out	Cap Length	Sensor Size
12228427	0 to +120	55	52.5	1500	6x85
6150300	-40 to +40	55	52.5	1000	6x75
6176990	+35 to +60	62x29	58.4 x 25.3	1500	6x41
6018440	-40 to +60	68 x 14.4		none	none
6199364	0 to +120	48 x 48	45.5 x 45.5	1500	6x50
6315622	Combistat 0 to +400	72x72	80.5	1500	8x130
6383075	-40 to +40	55	52.5	1000	8.5x55
6400580	-40 to +40	85	80.5	1500	8.5x55

Rectangular Thermometers					
Image	Part Number	Temp Range	Mounting Size (mm)	Probe size	Capillary Length
	GEV541095	0-120°C	58 x 25.5	20mm x 6.5mm	3000 mm
	GEV541306	0-120°C	62 x 11	27mm x 6mm	3000 mm
	TMSA-040	0-40°C	58 x 25	32mm x 5mm	1000 mm
	TMSA-120	0-120°C	58 x 25	32mm x 5mm	1000 mm

Round Thermometers					
Image	Part Number	Temp Range	Mounting Size (mm)	Probe size	Capillary Length
	GEV541065	0-120°C	55mm	28mm x 6.5mm	1500 mm
	GEV541091	0-120°C	60mm	28mm x 6.5mm	1500 mm
	GEV541037	0-120°C	40mm	25mm x 6.5mm	2000 mm
	TMRB-120	0-120°C	55mm	32mm x 5mm	1000 mm
	TMRB-040	0-40°C	55mm	32mm x 5mm	1000 mm

Sensors, Thermocouples & Accessories



Part Number	Description	Temp Range
ECSND3313A	1.5m. braided. 'K' Type T/Couple	-40 / + 350°C
ECSND3343A	3m. Braided. PT100. RTD Sensor	-50 / + 350°C
ECSND1243A	3m. Silicon. PT100. RTD Sensor	-50 / + 200°C
ECSND1413A	1.5m. braided. PT100. RTD sensor	-50 / + 350°C
ECSND1313A	1.5m. braided. 'J' Type T/Couple	-40 / + 350°C
ECSND0112A	1.5m Silicon PTC probe	-20 / + 80°C

EVCO Digital Controls

EVCO Digital Thermometers

EVK-100M7 Digital Thermometer



240V Digital thermometer

Cut out size 71mm x 29mm

Multi Probe Input

EVCO Digital Thermostats



EVK-401P7 Digital Thermostat

240V Digital Thermostat

Cut out size 71mm x 29mm

Temp Range -50 - 150°

PTC Probe Input

EVK-411M7VHBS Digital Thermostat

240V Digital Thermostat

Cut out size 71mm x 29mm

Multi probe unit suitable for PTC ,NTC, 'J', 'K', PT100 , PT1000 , 0-10v , 4-20mA inputs

Din Rail Mount Digital Thermostats



Part Number

Description

EV6421P3VHBS

12/24 V Single Output Digital Thermostat.
PTC/NTC Input

EV6421P7VHBS

240 V Single Output Digital Thermostat.
PTC/NTC Input

Oven Lamps



Part # Description

B0003 Lamp Holder Assembly

OL001 OVEN LAMP 240V 25W BC FANCY ROUND 300oC

OL002 OVEN LAMP 240V 15W BC PILOT 300oC

OL003 OVEN LAMP 240V 25W BC PYGMY 300oC

OL004 OVEN LAMPS 240V 15W E17 TUBULAR 300oC

OL005 OVEN LAMPS 240V 25W E17 TUBULAR 300oC

OL006 OVEN LAMPS 120V 25W E17 TUBULAR 300oC

OL007 OVEN LAMPS 240V 25W E17 TUBULAR 300oC

OL008 OVEN LAMPS 240V 25W ES FANCY ROUND 300oC

OL009 OVEN LAMPS 240V 25W ES FANCY ROUND 500oC

OL010 OVEN LAMPS 240V 40W ES FANCY ROUND 300oC

OL011 OVEN LAMPS 240V 40W ES FANCY ROUND 500oC

OL012 OVEN LAMPS 240V 25W ES PILOT 300oC

OL013 OVEN LAMPS 12V 5W G4 HALOGEN 500oC

OL014 OVEN LAMPS 12V 5W G4 HALOGEN 300oC

OL015 OVEN LAMPS 12V 10W G4 HALOGEN 500oC

OL016 OVEN LAMPS 12V 20W G4 HALOGEN 500oC

OL017 OVEN LAMPS 230V 25W G9 HALOGEN 300oC

OL018 OVEN LAMPS 230V 40W G9 HALOGEN 300oC

OL019 OVEN LAMPS 230V 20W QC TUBULAR 300oC

OL020 OVEN LAMPS 240V 25W SBC PYGMY 300oC

OL021 OVEN LAMPS 230V 25W SES FANCY ROUND 300oC

OL022 OVEN LAMPS 240V 25W SES FANCY ROUND 500oC

OL023 OVEN LAMPS 230V 40W SES FANCY ROUND 300oC

OL024 OVEN LAMPS 240V 40W SES FANCY ROUND 500oC

OL025 OVEN LAMPS 240V 15W SES PILOT 300oC

OL026 OVEN LAMPS 240V 15W SES PILOT 500oC

OL027 OVEN LAMP 240V 25W SES PILOT 300oC

OL028 OVEN LAMP 240V 25W SES PILOT 500oC

OL029 OVEN LAMP 240V 15W SES TUBULAR

OL030 OVEN LAMP 125V 25W SES TUBULAR 300oC

OL031 OVEN LAMP 240V 40W SES TUBULAR

OL032 OVEN LAMP 240V 40W SES TUBULAR 500oC


OL033 OVEN LAMP 240V 25W TUBULAR

OL034 OVEN LAMP 240V 25W TUBULAR

TPC38-1554 60W Lamp t/s Hatco

SWITCHES & INDICATORS

Swann Rocker Switches

Img	Part Number	Swann Series	Description	Cutout Size (mm)	Amps / Volts	Img	Part Number	Swann Series	Description	Cutout Size (mm)	Amps / Volts
	3570-039-19	20	White DP/ST Rocker Switch On-Off	16 × 13	6A/125V 4A/250V		3352-0141-11	50	Black DP/DT Rocker Switch On-Off-On	27 × 22	10A (4A) /250V
	3635-051-41	23	Black SP/ST Rocker Switch <On>/Off	19 × 13	12A/125V 6A/250V		3351-081-92	50	Red Illum DP/ST Rocker Switch On-Off	27 × 22	10A/250V
	3633-009-09	23	White SP/ST Rocker Switch On-Off	19 × 13	12A/125V 6A/250V		3470-081-22	51	Red Illum Rocker Switch On-On	28.4 × 22	15A/250V
	3633-091-02	23	Red Illum SP/ST Rocker Switch On-Off	19 × 13	12A/125V 6A/250V		3790-011-11	52	Black DP/DT Rocker Switch On-On	30 × 22	16A (6A) / 250V
	3705-837-01	39	Black SP/ST Rocker Switch On-Off	17.5 × 12	15A/125V 7.5A/250V		3370-011-01	70	SP On-On Black On-On	38 × 12	15A/250V
	3340-011-11	40	Black SP/DT Rocker Switch On-On	25 × 12	16A/250V		3390-011-21	73	Black DP/DT Rocker Switch On-On	38 × 20	10A (2A) /250V
	3340-041-11	40	Black SP/DT Rocker Switch On-Off-On	25 × 12	16A (4A) /250V		3370-833-90	70	Black "Rotary Arm" Lever On-Off-On	38 × 12	15A/250V
	3340-019-19	40	White SP/DT Rocker Switch On-On	25 × 12	16A/250V		3370-827-02	70	Red Illuminated With Wire On-Off-On	38 × 12	15A/250V
	3340-079-19	40	White SP/DT Rocker Switch <On>-On	25 × 12	16A/250V		3370-851-90	70	White Paddle Lever Switch On-Off-On	38 × 12	15A/250V
	3340-848-11	40	Black SP/DT Low/Off/High Switch On-Off-On	25 × 12	16A/250V		3411-051-21	82	Black DP/DT Rocker Switch On-Off-On	36 × 21	16A/250V
	3440-031-12	41	Red Illuminated SP/DT Rocker Switch On-On	28.6 × 11.5	15A/250V		3413-807-21	82	Black SP 4 Term to suit Rinnai On-Off-On	36 × 21	16A/250V
	3350-001-91	50	Black DP/ST Rocker Switch On-Off	27 × 22	10A/250V		3411-141-12	82	Red Illuminated DP/DT Rocker Switch On-On	36 × 21	16A/250V
	3350-041-91	50	Black DP/DT Gullwing Rocker Switch On-Off-On	27 × 22	10A (4A) /250V		3411-161-22	82	Red Illuminated DP/DT Rocker Switch On-Off-On	36 × 21	16A/250V
	3351-011-91	50	Black DP/DT Rocker Switch On-On	27 × 22	10A (4A) /250V		3411-161-23	82	Amber Illuminated DP/DT Rocker Switch On-Off-On	36 × 21	16A/250V

Comelux Rocker Switches



img	Part Number	Description	Function	Cutout Size (mm)	Amps / Volts
1	1300-23-01	White SP/DT rocker switch	On-Off-On	23 × 12	15A/240V
1	1300-23-03	White SP/ST rocker switch	On-Off	23 × 12	15A/240V
1	1300-25-09	White SP/ST rocker switch	On-Off	23 × 12	15A/240V
2	1300-23-02	Red illuminated SP/ST black rocker switch	On-Off	23 × 12	15A/240V
3	1300-23-06	Black SP/ST rocker switch	On-On	23 × 12	15A/240V
4	1300-23-07	Black SP/DT rocker switch I/O/II markings	On-Off-On	23 × 12	15A/240V
5	1300-20-02	Splash-proof red illuminated black rocker switch	On-Off	28 × 22	15A/240V



img	Part Number	Description	Function	Cutout Size (mm)	Amps / Volts
1	1300-21-01	Black rocker switch	On-Off-On	28 × 22	15A/240V
2	1300-22-05	Green illuminated DP/ST grey rocker switch	On-Off	25 × 25	15A/240V
3	1300-23-08	Black Dual SP/ST rocker switch	On-Off-On	28 × 22	15A/240V
4	1300-23-09	Red illuminated Black Dual SP/ST rocker switch	On-Off	28 × 22	15A/240V

GEV Rocker Switches



img	Part Number	Description	Function	Cutout Size (mm)	Amps / Volts
1	GEV301010	Red illuminated single pole single throw black rocker switch	On-Off	28 × 12	16A / 240V
2	GEV301011	Amber illuminated single pole single throw black rocker switch	On-Off	28 × 12	16A / 240V
3	GEV301012	Green illuminated single pole single throw black rocker switch	On-Off	28 × 12	16A / 240V
4	GEV301013	Black single pole single throw rocker switch	On-On	28 × 12	16A / 240V
5	GEV301053	White single pole single throw rocker switch	On-Off	28 × 12	16A / 240V



img	Part Number	Description	Function	Cutout Size (mm)	Amps / Volts
1	GEV345575	Black single pole double throw rocker switch	On-Off-On	28 × 12	16A / 240V
2	GEV301290	W/Proof Red illuminated single pole black rocker switch	On-Off	28 × 12	16A / 240V
3	GEV301291	W/Proof Amber illuminated single pole black rocker switch	On-Off	28 × 12	16A / 240V
4	GEV301292	W/Proof White illuminated single pole black rocker switch	On-Off	28 × 12	16A / 240V
5	GEV301293	W/Proof Green illuminated single pole black rocker switch	On-Off	28 × 12	16A / 240V



img	Part Number	Description	Function	Cutout Size (mm)	Amps / Volts
1	GEV301000	Blue illuminated double pole single throw black rocker switch	On-Off	28 × 22	16A / 240V
2	GEV301001	Red illuminated double pole single throw black rocker switch	On-Off	28 × 22	16A / 240V
3	GEV301002	Amber illuminated double pole single throw black rocker switch	On-Off	28 × 22	16A / 240V
4	GEV301003	Green illuminated double pole single throw black rocker switch	On-Off	28 × 22	16A / 240V
5	GEV301004	Black double pole double throw rocker switch	On-On	28 × 22	16A / 240V
5	GEV301004	Black double pole double throw rocker switch	On-On	28 × 22	16A / 240V



img	Part Number	Description	Function	Cutout Size (mm)	Amps / Volts
1	GEV301009	White double pole single throw rocker switch	On-Off	28 × 22	16A / 240V
2	GEV301015	Red illuminated double pole double throw black rocker switch	On-On	28 × 22	16A / 240V
3	GEV301016	Amber illuminated double pole double throw black rocker switch	On-On	28 × 22	16A / 240V
4	GEV301017	Green illuminated double pole double throw black rocker switch	On-On	28 × 22	16A / 240V
5	GEV301081	White double pole double throw rocker switch	On-On	28 × 22	16A / 240V



img	Part Number	Description	Function	Cutout Size (mm)	Amps / Volts
1	GEV345641	W/proof double pole single throw red illuminated rocker switch	On-Off	28 × 22	16A / 240V
2	GEV345645	W/proof double pole single throw green illuminated rocker switch	On-Off	28 × 22	16A / 240V
3	GEV346896	W/proof double pole single throw black rocker switch	On-Off	28 × 22	16A / 240V
4	GEV346899	W/proof double pole single throw Amber illuminated rocker switch	On-Off	28 × 22	16A / 240V


					
Img	Part Number	Description	Function	Cutout Size (mm)	Amps / Volts
1	GEV347774	W/Proof Amber illuminated double pole single throw black IP65 rated	On-Off	28 × 22	16A / 240V
2	GEV347775	W/Proof Red illuminated double pole single throw black IP65 rated rocker	On-Off	28 × 22	16A / 240V
3	GEV347814	W/Proof Black double pole single throw IP65 rated rocker switch	On-Off	28 × 22	16A / 240V
4	GEV347531	W/Proof Green illuminated double pole single throw black IP65 rated rocker	On-Off	28 × 22	16A / 240V

Accessories

		
Img	Part Number	Description
1	GEV301035	Single Pole Weatherproof
2	GEV301036	Double Pole Weatherproof

Toggle Switches

Chilli Toggle Switches 12mm nut mount with 6.4mm quick connect terminals				
				
img	Part Number	Description	Function	Amps / Volts
1	7011C	Single Pole Single Throw Toggle Switch	On-Off	20A / 240V
2	7012C	Single Pole Double Throw Toggle Switch	On-On	20A / 240V
2	7013C	Single Pole Double Throw Toggle Switch	On-Off-On	20A / 240V
3	7021C	Double Pole Single Throw Toggle Switch	On-Off	20A / 240V

Mar-Girius Heavy Duty Toggle Switches 12mm nut mount with screw terminals				
				
Img	Part Number	Description	Function	Amps / Voltage
1	CS301AP22	Double Pole Single Throw Toggle Switch	On-Off	30A / 240V
1	CS301ASS8	Double Pole Single Throw Toggle Switch	On-Off	20A / 240V

Tend Toggle Switches 12mm nut mount with 6.4mm quick connect terminals				
				
Img	Part Number	Description	Function	Amps/ Voltage
1	T511A	Single Pole Single Throw Toggle Switch	On-Off	15A/240V
1	T5R11A	Momentary Single Pole Single Throw Toggle Switch	(On)-Off	15A/240V
2	T512A	Single Pole Double Throw Toggle Switch	On-On	15A/240V
2	T5R12A	Momentary Single Pole Double Throw Toggle Switch	(On)-On	15A/240V
2	T513A	Single Pole Double Throw Toggle Switch	On-Off-On	15A/240V
2	T5R13A	Momentary Single Pole Double Throw Toggle Switch	(On)-Off-(On)	15A/240V
2	T5R131A	Momentary Single Pole Double Throw Toggle Switch	On-Off-(On)	15A/240V
3	T521A	Double Pole Single Throw Toggle Switch	On-Off	15A/240V
3	T5R21A	Momentary Double Pole Single Throw Toggle Switch	(On)-Off	15A/240V
4	T522A	Double Pole Double Throw Toggle Switch	On-On	15A/240V
4	T5R22A	Momentary Double Pole Double Throw Toggle Switch	(On)-On	15A/240V
4	T523A	Double Pole Double Throw Toggle Switch	On-Off-On	15A/240V
4	T5R23A	Momentary Double Pole Double Throw Toggle Switch	On-Off-On	15A/240V
4	T5R231A	Momentary Double Pole Double Throw Toggle Switch	On-Off-On	15A/240V

Tend Toggle Switches 12mm nut mount with screw terminals



Img	Part Number	Description	Function	Amps/ Voltage
1	T511B	Single Pole Single Throw Toggle Switch	On-Off	15A/240V
1	T5R11B	Momentary Single Pole Single Throw Toggle Switch	(On)-Off	15A/240V
2	T512B	Single Pole Double Throw Toggle Switch	On-On	15A/240V
2	T5R12B	Momentary Single Pole Double Throw Toggle Switch	(On)-On	15A/240V
2	T513B	Single Pole Double Throw Toggle Switch	On-Off-On	15A/240V
2	T5R13B	Momentary Single Pole Double Throw Toggle Switch	(On)-Off-(On)	15A/240V
2	T5R131B	Momentary Single Pole Double Throw Toggle Switch	On-Off-(On)	15A/240V
3	T521B	Double Pole Single Throw Toggle Switch	On-Off	15A/240V
3	T5R21B	Momentary Double Pole Single Throw Toggle Switch	(On)-Off	15A/240V
4	T522B	Double Pole Double Throw Toggle Switch	On-On	15A/240V
4	T5R22B	Momentary Double Pole Double Throw Toggle Switch	(On)-On	15A/240V
4	T523B	Double Pole Double Throw Toggle Switch	On-Off-On	15A/240V
4	T5R23B	Momentary Double Pole Double Throw Toggle Switch	On-Off-On	15A/240V
4	T5R231B	Momentary Double Pole Double Throw Toggle Switch	On-Off-On	15A/240V

Door Switches

				
Img	Part Number	Description	Series	Amps / Volts
1	3430-804-09	Swann double pole single throw fridge door switch	60	20A / 240V
1	3430-806-09	Swann single pole double throw fridge door switch	60	20A / 240V
1	3430-809-09	Swann single pole single throw fridge door switch	60	20A / 240V
2	3650-008-09	Swann double pole single throw fridge door switch	61	20A / 240V
3	6006	Changover Pantry Door Switch	N/A	20A / 240V

Micro Switches

				
Img	Part Number	Description	Series	Amps / Volts
1	36-100-34-1050	Single Pole Single Throw Microswitch	57	12A/125V 6A/250V
	GEV345042	Single Pole Double Throw Microswitch No Lever	N/A	16A/ 250V
	GEV345253	Single Pole Double Throw Microswitch with 37mm lever with roller	N/A	16A/ 250V
2	AI00609002	Single Pole Double Throw Microswitch Kit	N/A	16A/ 250V

Indicators Swann Indicators

				
Img	Part Number	Description	Cut Out	Terminals
1	3150-30-02	Round Red Indicator	9.6mm	6.4mm Q/C Terminals
2	3150-60-22	Round Red Indicator	9.6mm	Fly leads
3	3150-30-03	Round Amber Indicator	9.6mm	6.4mm Q/C Terminals
4	3150-831-05	Round Green Indicator	9.6mm	6.4mm Q/C Terminals
5	3150-50-02	Square Red Indicator	9.6mm	6.4mm Q/C Terminals
6	1385-30-02	Round Red Indicator	12mm	6.4mm Q/C Terminals
7	1385-30-03	Round Amber Indicator	12mm	6.4mm Q/C Terminals
8	1385-30-05	Round Green Indicator	12mm	6.4mm Q/C Terminals
7	1385-60-02	Round Amber Indicator	12mm	Fly leads

Series 40 Single Pole Indicators 27.5mm x 12mm cutout 16A/240V

			
Img	Part Number	Description	Termination
1	1/2/3157	Red Illuminated Indicator	6.4mm Q/C Terminals
2	1/3/3157	Amber Illuminated Indicator	6.4mm Q/C Terminals
3	1/2/3158	4 Terminal Red Illuminated Indicator	6.4mm Q/C Terminals

GEV Indicators

Indicator 28 x 12mm cutout 240V

			
1	2	3	4
Img	Part Number	Description	Termination
1	GEV359153	White Illuminated Indicator	6.4mm Q/C Terminals
2	GEV359158	Red Illuminated Indicator	6.4mm Q/C Terminals
3	GEV359159	Amber Illuminated Indicator	6.4mm Q/C Terminals
4	GEV359160	Green Illuminated Indicator	6.4mm Q/C Terminals

Indicator 28 x 22mm cutout 240V

			
1	2	3	4
Img	Part Number	Description	Termination
1	GEV359155	Red Illuminated Indicator	6.4mm Q/C Terminals
2	GEV359156	Amber Illuminated Indicator	6.4mm Q/C Terminals
3	GEV359157	Green Illuminated Indicator	6.4mm Q/C Terminals
4	GEV359354	Blue Illuminated Indicator	6.4mm Q/C Terminals

Threaded Indicators

PL10 series indicators to fit 10mm hole with fly leads



Img	Part Number	Description	Voltage
1	PL10-R12	Round Red Indicator	12V
1	PL10-R24	Round Red Indicator	24V
1	PL10-R110	Round Red Indicator	110V
1	PL10-R240	Round Red Indicator	240V
1	PL10-R415	Round Red Indicator	415V
2	PL10-A12	Round Amber Indicator	12V
2	PL10-A24	Round Amber Indicator	24V
2	PL10-A110	Round Amber Indicator	110V
2	PL10-A240	Round Amber Indicator	240V
2	PL10-A415	Round Amber Indicator	415V
3	PL10-G12	Round Green Indicator	12V
3	PL10-G24	Round Green Indicator	24V
3	PL10-G110	Round Green Indicator	110V
3	PL10-G240	Round Green Indicator	240V
3	PL10-G415	Round Green Indicator	415V
4	PL10-C12	Round Clear Indicator	12V
4	PL10-C24	Round Clear Indicator	24V
4	PL10-C110	Round Clear Indicator	110V
4	PL10-C240	Round Clear Indicator	240V
4	PL10-C415	Round Clear Indicator	415V

HK series indicators to fit 11mm hole with QC Terminals



Img	Part Number	Description	Voltage
1	HK402A	Round Amber Indicator	240V
2	HK402C	Round Clear Indicator	240V
3	HK402G	Round Green Indicator	240V
4	HK402R	Round Red Indicator	240V

Cable & Accessories

Terminals



Img	Part Number	Description	Cable Size	Max Temp
1	GEV550001	6.3mm Nickel Plated Quick Connect Terminals (100 pack)	1 – 2.5 mm	340 °C
2	GEV550009	M5 Nickel Plated Ring Terminals (100 pack)	1 – 2.5 mm	340 °C
3	GEV550046	6.3mm Nickel Plated Quick Connect Terminals (100 pack)	2.5 – 6 mm	340 °C
4	GEV550047	6.3mm Piggy Back Terminals (100 pack)	1-2.5 mm	110 °C
5	GEV550198	6.3mm Nickel Plated Flag Terminals (100 pack)	1 – 2.5 mm	340 °C

High Temp Silicone Cable & High Temp Sheathing



Part Number	Description	Max Temp
SC-24180	Silicone Rubber Single Core Cable .75mm	180°C
SC-32180	Silicone Rubber Single Core Cable 1.00mm	180°C
SC-30180	Silicone Rubber Single Core Cable 1.5mm	180°C
SC-50180	Silicone Rubber Single Core Cable 2.5mm	180°C

Part Number	Description	Roll Size	Permanent Temp	Max Temp
550014	Heatproof Sleeving ø 3.0mm ID	10m	250 °C	290 °C
570014	Heatproof Sleeving ø 3.0mm ID	100m	250 °C	290 °C
550050	Heatproof Sleeving ø 6.0mm ID	10m	450 °C	500 °C
570050	Heatproof Sleeving ø 6.0mm ID	100m	450 °C	500 °C
550051	Heatproof Sleeving ø 8.0mm ID	10m	450 °C	500 °C
570051	Heatproof Sleeving ø 8.0mm ID	100m	450 °C	500 °C
550052	Heatproof Sleeving ø 10.0mm ID	10m	450 °C	500 °C
570052	Heatproof Sleeving ø 10.0mm ID	100m	450 °C	500 °C
550053	Heatproof Sleeving ø 12.0mm ID	10m	450 °C	500 °C
570053	Heatproof Sleeving ø 12.0mm ID	100m	450 °C	500 °C

HOT WATER ELEMENTS & CONTROLS

Screw In Hot Water Elements

1" BSP Screw in Elements supplied with connected leads and gasket to suit



Part Number	Watts Density	Wattage	Penetration Length
H03560	120	600	145
H03561	120	900	200
H03562	120	1200	245
H03563	120	1500	205
H03564	120	1800	235
H03565	120	2000	255
H03566	120	2400	290
H03567	120	3000	295
H03569	140	3600	300
H03570	140	4800	395

1 1/4" BSP Screw in Element with built in thermowell and screw terminals



Part Number	Watts Density	Wattage	Penetration Length
H03571	120 kW/m2	1800	205
H03572	120 kW/m2	2000	220
H03573	120 kW/m2	2400	260
H03574	120 kW/m2	3000	305
H03575	120 kW/m2	3600	355
H03576	120 kW/m2	4800	450

2" BSP Screw in Element with built in thermowell and screw terminals



Part Number	Watts Density	Wattage	Penetration Length
H03580	120 kW/m2	1800	190
H03581	120 kW/m2	2000	210
H03582	120 kW/m2	2400	255
H03583	120 kW/m2	3000	305
H03584	120 kW/m2	3600	345
H03585	120 kW/m2	4800	460

Bolt On Hot Water Elements

Bolt On Hot Water Element with connected leads and gasket to suit



Part Number	Watts Density	Wattage	Penetration Length
TA1800B	120 kW/m2	1800	190
TA2400B	120 kW/m2	2400	240
TA3000B	120 kW/m2	3000	260
TA3600B	120 kW/m2	3600	340
TA4800B	164 kW/m2	4800	425
TA6000B	***	6000	460

Low Watts Density Hot Water Element with connected leads and gasket to suit for hard water

Part Number	Wattage	Voltage	Penetration Length
SW24BS	2400	240	330
SW30BS	3000	240	400
SW36BS	3600	240	460
SW48BS	4800	240	610
SW60BS	6000	240	700

Bolt On Sickle Hot Water Element with connected leads and gasket to suit



Part Number	Watts Density	Wattage	Penetration Length
TA1800	120 kW/m2	1800	270
TA2400	120 kW/m2	2400	295
TA3000	120 kW/m2	3000	260
TA3600	120 kW/m2	3600	320
TA4800	120 kW/m2	4800	325

Copper Bolt On Sickle Hot Water Element with connected leads and gasket to suit

Part Number	Watts Density	Wattage	Penetration Length
TC1800	120 kW/m2	1800	270
TC2400	120 kW/m2	2400	295
TC3000	120 kW/m2	3000	260
TC3600	120 kW/m2	3600	320
TC4800	120 kW/m2	4800	325

Ceramic Bobbin Hot Water Elements

2" Ceramic Bobbin Water Heating Element



Part Number	Wattage	Penetration Length	Copper Sheath To Suit
B	4800	525	SH48
B1	3600	500	SH36
B2	3000	500	SH36
B3	2400	370	SH24
B4	2000	370	SH24
B5	1800	370	SH24
B6	1500	320	SH15

Surface Mount Thermostats



Img	Part Number	Temp Range	Eco Reset	Notes
1	T20433-3-1	60-82°C	90°C	Single / Bottom
1	TP-140	Fixed 60°C	N/A	Single / Bottom
1	TP-170	Fixed 77°C	N/A	Dual / Boost
2	TP-205	Fixed 95°C	N/A	Dual / Boost

Stem Type Thermostats



Img	Part Number	Temp Range	Eco Reset	Stem length
1	TP7	40-80°C	N/A	7"
1	TP11	40-80°C	N/A	11"

Hot Water Thermostats

TST Series Surface Mount Thermostats



Img	Part Number	Temp Range	Eco Reset	Notes
1	TST1002	50-80°C	N/A	Single Pole
1	TST1006	63-93°C	N/A	Dairy
2	TST1201	50-70°C	Y	Single / Bottom
2	TST1205	50-80°C	Y	Single / Bottom
2	TST1208	70°C	Y	Heat Pump
2	TST1301	50-80°C	Y	Solar
3	TST2201	50-80°C	Y	Dual / Boost
3	TST2307	50-80°C	Y	Dual Solar

Please note knob colors will differ depending on part selected.

White Ant Meter Frames & Accessories



Part Number	Dimensions (H x W x D)	Capacity
WA4	374mm x 240mm x 75mm	1 single phase, electronic or multiphase meter
		1 service fuse
		1 neutral bar/link
		16mm cable max
WA5	400mm x 380mm x 83mm	1 multiphase meter
		1 Time Clock
		1 neutral bar/link
		3 Service Fuses
WA6	590mm x 400mm x 83mm	2 multiphase meter / 3 Single phase meters
		1 Time Clock or combination of above
		2 neutral bar/links
		16mm cable max

WA6 Meter Frame can be extended with WA/6K extension which will increase depth to 150mm for use with 35mm cable

ROOM THERMOSTATS

Honeywell Room Thermostats		
Image	Part Number	Description
	T4360G1006	The T4360G thermostat with on/off switch provides control of 240Vac heat only systems with a maximum current of 16A
	T6360D01008	The T6360D Thermostat with On/Off switch provides control of 240Vac Cool only systems
	T6376B1004	The T6376 thermostats are designed to control the valves, the fan and the compressor in split units, heatpumps and small air conditioners. All from one thermostat.
	T6377B1011	The T6377 thermostats are designed to control the valves, the fan and the compressor in split units, heat pumps and small air conditioners. All from one thermostat.
	TH5110D1022/U	The TH5110D Non-Programmable thermostat provides electronic control of 24Vac, single stage heating and cooling systems or 750mV heating systems.
	TH6210U2001	The T6 Pro thermostat is an direct replacement for the focus pro range. Featuring 2H/1C Heatpump switching and 1h/1c conventional switching. The TH6120U2001 is one of the best 24v Programmable thermostats on the market
	TH6220U2000	The TH6220 is a 24V Programmable thermostat featuring Heatpump switching 2H/1C and conventional switching 2H/2C
	TH9320WF3003/U	The Wi-Fi 9000 Colour touch screen Thermostat Features Up to 3H/2C heatpump and 2H/2C Conventional systems with complete wifi coverage to access control worldwide
	CMT907A1041	The CMT907 is a 7-day programmable thermostat. Comes with a backlit, large LCD display with dynamic text, slim body, 6 independent time/temp changes per day, Party/Day Off and Holiday features, and more. It can be used as part of a system in conjunction with combi-boilers, oil-burners and gas fired boilers, zone valves and electric heat systems (<8A)
	T4H110A1021	T4H Thermostat is available as a direct replacement for the CMT907A1041. It features an upgraded look and sleek design. The 240V, T4H is perfect for Hydronic heating and Boiler systems
	T822K1026	The T822k, vertically mounts on the wall to control your heating system. Features a unique setting lever and thermometer scale. Straight-in wiring capability makes installation easy.
	DT90A1008	The DT90 room thermostat is a simple room thermostat with a large digital display. Simple Up, Down On/Off operation. 24-230V SPDT switching suits 2-wire installation. Temperature range of 5-35°C, in 0.5°C increments.
	TH115-AF-240S-AUS	The TH115 programmable thermostat controls the ambient air temperature and maintains the floor temperature using an external sensor. It also Features manual and vacation modes is a sleek design.

Siemens Room Thermostats

Image	Part Number	Description
	RAA11	The RAA11 is a Tamper-proof thermostat. The Faceplate is blank, with the temperature Dial inside the Thermostat.
	RAA31	The RAA31 is a heating OR cooling manual adjusting room thermostat. 24...250V, this non-programmable thermostat features a range from 8 to 30°C.
	RDE100.1	The RDE100.1 is a super-slim room thermostat. 7 Day programmable, 24 periods per day with On/Off/Program functions. Easy to program, 5-35°C temperature range, in 0.5°C increments. The 100.1 controller is a 24V control with 2xAAA battery back up. Can be used to control thermal actuators, zone valves, gas or oil burners, fans & pumps.
	REV24	The REV24 has 5 operating modes and a unique wheel button operation. Mains-independent room temperature controller. Choice of operating modes: automatic with 3 heating periods, continuously comfort & economy mode, frost protection with one 24-hour operating mode and one heating period.

White Rodgers Room Thermostats

Image	Part Number	Description
	TPGW0001	The WR 1E78-151 Single Stage, Digital, 5/2 Day Programmable, Heating and Cooling Thermostat features include; a vertical design, Cool/Off/Heat switch, and a fan switch. Suitable for millivolt systems.
	TPGW0004	The WR 1F78-144 Single Stage, Digital, Non-Programmable, Heating and Cooling Thermostat features include; a horizontal design, Cool/Off/Heat switch, and a fan switch. Suitable for Millivolt systems.
	TPGW0005	The WR 1E78-140 Single stage, Digital, Non-Programmable, Heating Thermostat features include; a vertical design, on/off switch, and a lighted display. Suitable for Millivolt systems.

	TPGW0006	The WR 1E78-144 Single Stage, Digital, Non-Programmable, Heating and Cooling Thermostat features include; a vertical design, Cool/Off/Heat Switch, and a fan switch. Suitable for Millivolt systems.
	TPGW0009	The WR 1F78-151 Single Stage, Digital, 5/2 Day Programmable, Heating and Cooling Thermostat features include; a horizontal design, Cool/Off/Heat switch, and a fan switch. Suitable for millivolt systems.
	TPGW0019-0471	The WR 1F80-0471 Single Stage, Digital, 5/2 Day Programmable or Non Programmable, Heating and Cooling Thermostat features include, a horizontal design, 4 Square inch display, 3 wire zone valve, suitable for millivolt systems
	TPGW00172BLUR	The WR 1F97-1277, 1 Heat/1 Cool, Digital, 7 day programmable, Heating and Cooling Thermostat features include, 12" LCD touchscreen display, Auto Changeover, programmable fan, indoor and outdoor remote sensor. Suitable for millivolt systems and 3 wire zone systems.

Imit Room Thermostats

Image	Part Number	Description
	TA3	The TA3 is a room thermostat equipped with gas filled bellows. It features a modern design with an ergonomically designed easily removed knob.


Honeywell Thermostat Guards

Image	Part Number	Description
	T510A1001	Small Key lock Thermostat Guard 149 x 149 x 64mm
	TG511A000	Medium Key Lock Thermostat Guard 165 x 191 x 75mm
	TG512A000	Large Key Lock Thermostat Guard 184 x 248 x 86mm



Find our range at hotco branches
around Australia

Brisbane
Lapis Street 16
Underwood QLD 4119
T: +61 (07) 3208 9400
F: +61 (07) 3208 5185
E: brisbanehelios@optusnet.com.au



Perth – Hotco
Munt Street 1/10-14
Bayswater WA 6053
T: +61 (08) 9370 5558
F: +61 (08) 9370 5559
E: info@racolvin.com.au

Adelaide – Helios
M: 0419 552 580
E: adelaide@helios.com.au

Melbourne
Park Rd 5-7
Cheltenham VIC 3192
T: +61 (03) 9585 1944
T: +61 (03) 9556 0200
F: +61 (03) 9585 0268
E: sales@hotco.com.au

Sydney
Merryvale Road 9/5
Minto NSW 2566
T: +61 (02) 9820 1931
F: +61 (02) 8795 0601
E: sydney@hotco.com.au

www.thermalproducts.com.au

Phone: (03) 9464 0822

178 – 180 Holt Parade, Thomastown, Victoria, 3074

Fax: (03) 9464 0630 Email: sales@thermalproducts.com.au